

केन्द्रीय भण्डारण निगम

(भारत सरकार का उपकम)



संख्या : टीक्यूसी / स्टोरेज पॉलिसी / 2014-15

दिनांक 26.05.2014

परिपत्र-133

विषय : मानसून से पूर्व प्रधूमन अनुदेशों के संबंध में ।

मानसून शीघ्र ही शुरू होने वाला है । वेअरहाउस में भंडारित स्टॉक के अमानतदार के रूप में यह हमारा कर्तव्य है कि स्टॉक को न केवल पैस्ट से अपितु प्रतिकूल परिस्थितियों से भी बचाया जाए । अतः सभी वेअरहाउस प्रबन्धकों को पुनः सलाह दी जाती है कि निम्नानुसार आवश्यक उपाय करें :

- i). यह सुनिश्चित किया जाए कि मानसून की शुरूआत से पहले वेअरहाउस में भंडारित सभी खाद्यान्नों चाहे कीटग्रस्त हों या न हों, उसका मानसून से पहले का प्रधूमन किया जाए ।
- ii). किसी भी प्रकार की लीकेज का पता लगाने के लिए गोदाम का पूर्ण रूप से निरीक्षण किया जाए तथा उचित कार्रवाई की जाए । इसके बावजूद यदि कोई लीकेज देखी जाए तो स्टॉक को पॉलीथिन फिल्म से ढका जाए ।
- iii) मानसून की शुरूआत से पहले सभी वेली—गटर,ड्रेनेज तथा मेनहोल पूर्ण रूप से साफ हों ताकि वर्षा ऋतु के दौरान बाधा अथवा जल भराव की स्थिति से बचा जा सके ।
- iv) किराये के गोदामों के संबंध में गोदाम—मालिक को लीज अनुबन्ध की निबन्धन एवं शर्तों के अनुसार तत्काल आवश्यक मरम्मत हेतु कहा जाए ।
- v) मानसून के दौरान सभी नाजुक / हाइग्रोस्कोपिक वस्तुओं जैसे कि चीनी, गुड़, उर्वरक, सीमेन्ट, मिल्क – पाउडर, बीज इत्यादि को नुकसान होने से पूरी तरह से बचाया जाए । वर्षा ऋतु के दौरान सभी दरवाजों एवं रोशनदानों को कसकर बंद रखा जाए ताकि स्टॉक मौसम की नमी के सम्पर्क में न आए ।
- vi) निरीक्षणों की periodicity में वृद्धि की जाए ताकि कीटग्रस्त स्थिति, लीकेज, हीटिंग इत्यादि के बारे में पता लगाया जा सके व समय पर उपचारी उपाए किए जा सकें।

vii) मानसून से पहले गर्मी के दौरान आग का जोखिम है । यह सुनिश्चित किया जाए कि अग्निशामन उपकरण जैसे अग्निशामक, फायर बकट को चार्ज किया जाए एवं आपात स्थिति में प्रयोग के लिए तैयार रखा जाए ।

पुलिस तथा फायर स्टेशन का टेलिफोन नं० कार्यालय के परिसर में लिखा जाए तथा वेअरहाउस के स्टाफ को निगरानी रखने की सलाह दी जाए ।

उपर्युक्त अनुदेशों को सभी वेअरहाउस प्रबन्धक एवं स्टाफ की जानकारी में दिया जाए तथा निष्ठा व ईमानदारी से इसका अनुपालन किया जाए ।

> (आई.सी.चड्डा) महाप्रबन्धक (तकनीकी)

वितरण:-

 क्षेत्रीय प्रबन्धक, केन्द्रीय भण्डारण निगम, क्षेत्रीय कार्यालय, अहमदाबाद / बेंगलुरू / भोपाल / भुवनेश्वर / चण्डीगढ / चेन्नई / दिल्ली / गुवाहाटी / हैदराबाद / जयपुर / कोव्चि / कोलकाता / लखनऊ / मुम्बई / नवी मुम्बई / पंचकुला / पटना / रायपुर-- कृपया सूचना एवं आवश्यक कार्रवाई हेतु ।

प्रतिलिपि:-

महाप्रबन्धक (निरीक्षण) / महाप्रबन्धक (एमआईएस),केभनि,निगमित कार्यालय,नई दिल्ली ।

Sundans).



CENTRALWAREHOUSING CORPORATION

(A GOVT. OF INDIA UNDERTAKING)



No.TQC/Stg. Policy/2014-15 CIRCULAR/133

Dated: 21.05.2014

SUB: Pre-monsoon fumigation-instructions-reg.

The monsoon season is fast approaching. As a Bailee of the goods stored with us, it is our duty to protect the stocks not only from pests but also from vagaries of weather. All the Warehouse Managers are therefore, once again advised to take necessary measures as below:-

- It must be ensured that all food grain stocks available in the Warehouse are given pre-monsoon fumigation irrespective of infestation before the onset of monsoon.
- Thorough inspection of the godowns should be carried out to detect leaky points and action taken to plug the same. Inspite of this, if any leakages are noticed the stocks should be covered with polythene film.
- All valley-gutters, drainage and manholes should be thoroughly cleaned before the onset of monsoon to avoid any clogging or flooding of water during the rainy season.
- In case of hired godowns the owner should be asked to carry out necessary repairs immediately in accordance with terms and condition of the lease agreements.
- All delicate/hygroscopic commodities such as sugar, jaggery, fertilizer, cement, milk-powder, seeds etc. should be well protected against the damages during monsoon. All the doors and ventilators should be tightly closed during rain, so that the stocks are not exposed to humid weather.
- Periodicity of inspection of stocks should be increased in the godowns to find out signs of development of infestations, leakage, heating etc. in order to take proper remedial measures in time.
- The risk of fire is high during summer season before the onset of monsoon. It should be ensured that fire-fighting equipments like fire extinguishers, fire buckets should be charged and kept ready for use in emergency.

The telephone no. of police and fire station should be exhibited in the office premises and the staff members of the warehouse be advised to keep a close watch.

The above instructions be brought to the notice of all Warehouse Manager and staff and should be followed scrupulously.

(I.C. CHADDA)

GENERAL MANAGER (TECH)

Distribution to:

Regional Manager, Central Warehousing Corporation, Regional Office Ahmedabad/Bangalore/Bhopal/Bhubaneswar/Chandigarh/Chennai/Delhi/Guwahati/Hyderabad/Jaipur/Kochi/ Kolkata/Lucknow/Mumbai/Navi Mumbai/Panchkula/Patna/Raipur-for information and necessary action please.

Copy to: GM(Insp)/GM(MIS), CWC, CO, New Delhi.