









Phone: 0522- 2720686 e-mail: <u>rmlko@cewacor.nic.in</u>

Regional Office Warehousing Bhawan, Vibhuti khand, Gomti Nagar, LUCKNOW-226010

No. CWC/RO-LKO//ELWB-Mau/2022-23/

Dated 21.7.2022

LIMTED TENDER INQUIRY

The Regional Manager, Central Warehousing Corporation, Regional Office, Lucknow invites Limited Tender from Reputed Manufacturer/ Service Provider having valid "License" for Installation/repairing of ELWB in the state of UP at Central Warehouse, UPSIDC COMPLEX TAJOPUR NEAR BADHUA GODOWN Maunath Bhanjan – 275101, for Re-installation of the existing dismantled pit less type ELWB with a guarantee period of Two year as per the following terms & conditions.

1. The quotation must be accompanied with EMD of Rs. **7800**/- in the form of Demand Draft from any scheduled Bank favoring "The Regional Manager, Central Warehousing Corporation" payable at Lucknow or through online payment in CWC Account through NEFT/Net banking.

1	Name of the party	CENTRAL WAREHOUSING CORPORATION
2	Bank Account No.	0000010070354408
3	IFSC Code	SBIN0009916
4	Bank Name	State Bank of India,
5	Bank Branch	Vibhuti Khand, Near UPSRTC, Gomti nagar, Lucknow

- 2. The successful tenderer has to deposit an amount equal to 3% of the contract value of the work as Security Deposit in the form of Demand Draft from any scheduled Bank favoring "The Regional Manager, Central Warehousing Corporation" payable at Lucknow or through online payment in CWC Account.
- 3. The Sealed envelope containing Quotation should be super-scribed Quotation for Re installation of existing dismantled ELWB.
- 4. Quotation can be sent by post/ courier or be delivered by hand in time. For any late receipt/wrong delivery, the Corporation will not be held liable.
- 5. Firms registered with NSIC/DIC/SSIC/MSME for the relevant category & monitory value are exempted from payment of requisite EMD on production of valid proof.
- 6. Details of Quotation given below:

Last Date & Time of submission of Quotation: 05.08.20222 at 03:00 PM Date & Time of opening of Quotation: 05.08.2022 at 3:30 PM

- 7. The Quotations shall be opened at Central Warehousing Corporation, Regional Office, Vibhuti Khand Gomti Nagar, Lucknow-226010 in presence of the quotations who wish to be present at their own cost. If the date of opening of quotation is declared holiday the same will be evised and opened on next working day. The Corporation reserves the right to accept or reject any or all the quotation without assigning any reason thereof.
- 8. Conditional quotation will not be accepted. The quotation should invariably mention their name, full address preferable on their letter head. The other terms and condition are attached

for reference (Annexure-I) which should be signed by quotationers as a part of quotation inquiry and rate should be quoted in Annex-II.

- 9. The interested party may visit the site at their own cost to take stock of the situation before offering their rates.
- 10. The details of the quotation can be seen and downloaded at our website www.cewacor.nic.in or www.cwceprocoure.com.
- **11**. Quotations are to be given in two bid System. Financial Bid to be submitted in separate sealed Cover.

Encl:- Annexure-I, II, III & IV.

(Pankaj Pandey) Superintendent (Tech.) For Regional Manager

Copy to:-

- All Regional Manager,
- The Manager (A/cs), CWC, RO, Lucknow.
- The WHM Maunath Bhanjan.
- Notice Board.

GENERAL TERMS & CONDITIONS

1. The civil work includes raising columns for installation of 6 nos. of load cells construction of ramp of 8 mtrs on both sides of the ELWB platform and concreting of platform length. ELWB cabin construction will be required. The work shall be executed in accordance with the latest CPWD Specifications 2019 and IS Codes. (Details given below).

1.1 Foundations and Platform Bed:

The foundations and RCC raft for surface mounted platform shall be designed on the basis of the allowable soil pressure for the respective sites. Any special treatment that may be required for the foundation to cater to the needs of the poor soil conditions shall be carried out by the contractor at his own cost.

Suitable guarding arrangement need be incorporated lengthwise of the platform to prevent sliding of vehicles as per relevant IS Code. **Remaining portion under platform shall be finished with 50mm thick C.C. 1:1.5:3 over 1:4:8 lean concrete 100mm thick**.

1.2 <u>Ramp:</u>

On both sides of the weighbridge, ramps of 08 Mtrs each side is required length connecting the godowns on both sides and with width as required at site shall be provide. Ramps shall be consisting of the following: -

- i) 150 mm thick sand filling well rammed.
- ii) 200 mm thick lean concrete of (1:4:8) mix.
- iii) 175 mm thick reinforced cement concrete of Grade M-25 (1:1 ¹/₂: 3) with hardener.

<u>Note:</u> - The Ramp should be provided with steel fender of sections 100X100X8MM on both sides of complete length of ramp and should be fixed in cement concrete of ramp with 12mm dia & 30cm long bolts at a distance of 30cm centre to centre with or without connecting plate including, hosting, fixing in position, *in addition to steel fenders on both ramps near ELWB platform on breath sides* and applying coat of approved steel primer and painting complete.

1.3 <u>Cabin:</u>

- A weighbridge room of internal dimensions of 03 mtr. x 05 mtrs consisting of 9" thick brick/stone masonry (as per local availability) in superstructure and foundations with RCC roof as load bearing system shall be provided. One RCC Band -150 mm thick shall be provided at Plinth level and Door Lintel Level.
- The internal wall surface shall be cement plastered with CM 1:6 -12 mm thickness.
- The exterior Surface shall be Cement Plastered with CM 1:6 -15 mm thickness.
- RCC Roof shall be designed as One-way/Two-way slab with adequate reinforcement of 8 or10 mm dia in slab and 12 or 16 mm dia in Beam. Slab shall be protected with terrace waterproofing with 40 mm thick Screed concrete 1:2:4 in proper slope finished neat, & mixed with 2% of integral water proof compound by weight of cement. 75 mm thick CC Gola in 1:1.5:3 shall be provided all around the Brick-slab joint to prevent the water ingress for joint.
- Flooring shall consist of 150 mm thick sand filling, 150 mm thick PCC (1:4:8) sub-base layer floor with vitrified floor tile of 600x600 mm size over bed of 20 mm thick cement motor 1:4 with 150mm skirting for walls.
- 1.1 m x 2.1m size -One Nos. Aluminum door paneled 12 mm thick decorative waterproof plywood and 5.5 mm thick Clear glass and 0.75m x2 m wide 2 Nos. Aluminum windows fully glazed with 5.5 mm Clear Glass protected with Aluminum grills shall be provided.
- The internal surfaces of walls shall be finished with plastic paint with primer over 2mm thick over putty and external surfaces treated with Exterior Grade emulsion paint of APEX or equivalent.

- Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand:6 graded stone aggregate 20 mm nominal size) over 75 mm thick bed of dry brick ballast 40 mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth 0.90-meter-wide al around the cabin walls.
- 600 mm wide -75 mm thick RCC Loft slab/ Platform for Computer -Office work etc shall be provided and this platform slab along with window sills, steps shall be of finished with 15-18 mm Granite stone.

2. Electrical Works:

This shall conform to *latest* CPWD specifications and Indian Electricity Rules.

- 2.1 Service connection for 230V SUPPLY up to the switchboard in the cabin will be provided by CWC.
- 2.2 The wiring shall be carried out with PVC insulated FR copper conductor cable of suitable size in recessed PVC conduit as per *latest* CPWD specifications.
- 3.3 Number of light/fan points will be as under: -

a) Light 02 Nos.	18/20-Watt LED fitting of make Bajaj /Philips / Crompton /Havells inside the cabir	
Points		
01 Nos. 35/36-watt LED streetlight fitting of make Bajaj/ Philips/ Crompton /Havel		
	Complete with accessories mounted on G.I. pipe bracket Outside the cabin.	
b) Fan Poin 1 Nos.	Including 1200 mm sweep energy efficient ceiling fan complete of approved make	
	with electronic regulator conforming to relevant ISI specifications	
	(Make Crompton / Orient / Usha /GEC/Havells).	

- 2.4 (a) 5 Amps Socket outlet: 1 No. On the switch board Socket outlet itself (ISI Mark Standard make)
 - (b)15 Amps Socket outlet. 1. Nos. At skirting level (ISI Mark standard make)
 - (c) Modular switches are to be provided in the cabin.

2.5 Main Board

Providing MCB DB 06 way with 01 No. 40 Amp MCBDP Incoming) and 06 Nos. 5 amps to 32 amps MCB (outgoing): **1 Set**

3. List of dismantled Parts is enclosed as Annex-IV

- 4. The successful tenderer has to deposit an amount equal to **3% of** the contract value of the work as Security Deposit in the form of Demand Draft from any scheduled Bank favoring "The Regional Manager, Central Warehousing Corporation" payable at Lucknow or through online payment in CWC Account.
- 5. Rate should be quoted in enclosed annexure-II inclusive of all taxes but exclusive of GST, and should be submitted in a sealed cover which would be part of a main envelope.
- 6. An amount of Rs. 7800/- is to be deposited in the shape of Demand Draft favoring the Regional Manager, CWC, Lucknow drawn on any scheduled bank payable at Lucknow towards EMD amount OR through online payment in CWC Account through NEFT/Net banking.
- 7. The time period allowed for completion of the entire work is 25 days only which may be extended by further period of not more than 10 days under exceptional circumstances citing valid reason in writing by the party. It would be the discretion of the Regional Manager, Lucknow to extend the period.
- 8. The General Terms & Condition along with the quotation accepting all terms & condition should be submitted with the quotation. Condition offer would not be accepted and is liable for Rejection.
- 9. The Party should also enclose the valid repairing & servicing license of ELWB issued from the appropriate authority.
- 10. The Party should also submit a copy of PAN and GST Registration Certificate along with the quotation.

- 11. In the event of the tie of the offer between two parties, the party with maximum experience would be given priority.
- 12. In the event of any dispute arising out of conversion of ELWB the decision of Regional Manager, CWC, RO, Lucknow shall be final and binding on both the parties.
- 13. Payment will be arranged by Regional Manager, Central Warehousing Corporation, Regional Office, Lucknow on receipt of pre-receipted bill induplicate along with satisfactory work completion certificate from the Warehouse Manager, CW Maunath bhanjan . As the payment will be released by this office through e-payment system for which Bank details (Account No./ Name & Address of the Bank/ IFSC Code) should be submitted along with the bill.
- 14. The envelope of Price Bid of technically qualified quotationer will only be opened.
- 15. The non-performing/defaulting electronic lorry weighbridge contractor is liable for forfeiture of SD and may be suspended/banned for trade relation/black listed for a period upto 5 (five) years based on the gravity of non-performance/default of the lorry weighbridge/ contractor, by the Regional Manager of the Central Warehousing Corporation, whose decision in the matter shall be final and binding.
- 16. **Integration of ELWBs with DOS & WMS**: The Lorry Weighbridge shall be integrated with the Warehouse Management Solution (WMS) and Depot Online System (DOS) provided by the service provider of CWC and FCI. The Application Programming Interface (API) is to be provided by the contractor which shall push information of weight capture along with the date and time of capturing weight, to enable the service provider of CWC to build API to receive the information from the database of LWB software. Brief Description of scenario: When truck is on weighbridge for weighment and official clicks on capture weight from WMS, WMS server shall hit / send API to the server of LWB for asking required information (weight, date & time), then API of LWB shall provide asked information from LWB database and WMS shall pop up the same on its screen.
- 17. Regional Manager, CWC, RO, Lucknow reserves the right to terminate the contract at any point of time without assigning any reasons thereto which would be final and binding on the party of the service provider.
- 18. The vendor will ensure that the instrument should remain functional under Guarantee period of 02 years.

Signature of Party With full address of the firm & with rubber stamp

PRICE BID

Annexure-II

PRICE BID FOR RE- INSTALLATION OF EXISTING DISMENTALLED 12 mtrs. X 3 mtrs. 60 MTC ELWB AT CW MAU NATH BHANJAN (UTTERPRADESH)

S. No	Name of the work	Rate offered for work (in figure) Excluding GST	Rate in words
1	Re-installation the existing dismantled structure, stamping & commissioning of 12X3 Mtrs. Size 60 MTC Pit less ELWB including necessary civil wok (Foundation work) ,Cost of equipment (PC, UPS, printer and others if any) and electronic work at its new place for platform structure with cabin and Ramps		

- The rate should be quoted inclusive of all taxes except GST.
- I/ We have thoroughly examined and understood the terms & condition as mentioned in the Tender inquiry No. ----- and shall be abide by it.

Signature of Party With full address of the firm & with rubber stamp

Annexure-III

To be submitted on a stamp paper (of Rs.50/- minimum) duly attested by Notary Public (duly affixed with Notarial revenue stamp; and with Notary Seal; and Notary Registration number etc.)

I, ______ S/o / D/o / W/o ______ Managing

Director* / Director* / Partner* of M/s

_____ located at _____

Do hereby solemnly affirm and declare as under:-

- 1. The company is a Micro/Small Enterprise as per the Govt. of India definition; and has been functional at the time of bar code registration.
- 2. The company continues to be a Micro/Small Enterprise and functional as on date.
- 3. As per books of accounts, the total investment (original purchase value) in Plant and Machinery in the company as on the date of submission of bids is Rs._____ which is within the limit prescribed in MSME Act (proof to be kept ready for inspection).
- 4. i)UdyogAadhar Memorandum (UAM) number of our company is
 - ii) We hereby confirm that we have declared the UAM number of Central Public Procurement Portal (CPPP).
 - iii) We are aware that non-declaration of UAM number on CPPP will make us ineligible to enjoy the benefits as per Public Procurement Policy for MSEs order, 2012.

Signed on _____

DEPONENT

VERIFICATION:

Verified that the contents of the affidavit are true to the best of my knowledge and belief.

Place:_____

Date:_____

DEPONENT

Note:-*Strike out whichever is not applicable

List of items of dismantled ELWB

.....

S	SL		
NC	MATERIALS NAME	QT	
-	DIGITIZER WITH POWER, LOADCELL CABLE	1	
1	2 JUNCTION BOX	1	
	JUMBO DISPLAY WITH POWER CABLE	1	
- 4	4 COMMUNICATION CABLE FOR JUMBO DISPLAY		
- 5	LOADCELL WITH CABLE AND BRACKET	6	
6	CUP FOR LOADCELL	6	
7	BALL FOR LOADCELL	6	
8	TIE ROD WITH NUTS	6	
9	TIE ROD BRACKET	6	
10	FOUNDATION PLATE WITH HYLAM PAD	6	
11	LOADCELL DUST COVER PLATE [CHECKERED]	5	
12	400mmX 6000mm SIDE BEAM WITH TIE ROD [HYLAM PADS 6 NOS]	4	
13	250mm X 3000mm CROSS BEAMS	2	
14	250mm X 5000mm LONGITUTIONAL BEAMS	8	
15	CENTER BRACKET [3000mm X 2000mm - 250mm BEAMS]	1	
16	2000 X 3000 X 12 TOP PLATES	6	
	TOTAL	66	

CHECK LIST TO BE FILLED BY BIDDER & SUBMITTED ALONGWITH THE TENDER

S. No.	Document to be submitted by the tenderer alongwith their bid	Check & confirm of having attached these documents alongwith Bid (Yes/No)
1	Earnest Money Deposit (EMD):	
2	GST registration certificate (As applicable).	
3	Permanent Account Number (PAN) Card.	
4	Bank Details (Account No., Bank Name, MICR No., RTGS No. & copy of cancelled cheque).	
5	Submission of complete tender document, duly signed.	
6	Non Blacklisting	
7	Latest valid license to manufacture repair or sell of weight and measure as per legal metrology Act, 2009	
8	MSME Affidavit	

Signature of Party With full address of the firm & with rubber stamp